



A unifying vision of Particle Filtering and Explicit Dual Control

Emilien Flayac, Karim Dahia, Bruno Hérissé, Frédéric Jean

► To cite this version:

Emilien Flayac, Karim Dahia, Bruno Hérissé, Frédéric Jean. A unifying vision of Particle Filtering and Explicit Dual Control. 2020. hal-02623646

HAL Id: hal-02623646

<https://hal.science/hal-02623646>

Preprint submitted on 26 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A unifying vision of Particle Filtering and Explicit dual Model Predictive Control

Emilien Flayac^a, Karim Dahia^b, Bruno Hérissé^b, Frédéric Jean^c

^a*Electrical and Electronical Engineering Department, University of Melbourne, Parkville VIC 3010, Melbourne, Australia*

^b*ONERA, Palaiseau, France*

^c*UMA, ENSTA Paris, Institut Polytechnique de Paris, Palaiseau, France*

Keyword:

Optimal estimation, Stochastic optimal control with imperfect information, Near-optimal estimation, Particle Filtering, Explicit Dual control, Terrain-Aided navigation

Abstract:

This paper presents a joint optimisation framework for optimal estimation and stochastic optimal control with imperfect information. It provides a estimation and control scheme that can be decomposed into a classical optimal estimation step and an optimal control step where a new term coming from optimal estimation is added to the cost. It is shown that a specific particle filter algorithm allows one to solve the first step approximately in the case of Mean Square Error minimisation and under suitable assumptions on the model. Then, it is shown that the estimation-based control step can justify formally the use of Explicit dual controllers which are most of the time derived from empirical matters. Finally, a relevant example from Aerospace engineering is presented.

1. Introduction

Optimal estimation and control problems arise when one wants to reconstruct and monitor in an optimal way the state of a system using only partial information. Such problems are widespread, for instance, in chemical engineering [1], in electrical and mechanical engineering [2], in mathematical finance [3] and in aerospace engineering [4]. In the presence of nonlinearities and disturbances, these problems are challenging for mainly two reasons.

First, nonlinear estimation (or filtering) problems are known to be difficult on their own. While Kalman filters or optimisation-based estimators are cheap and perform well in the case of uni-modal uncertainty [5, 6], they become inefficient when the conditional distribution is spread over several modes. A typical solution is to use particle filters, which are able to find these modes. As particle filters are Monte Carlo approximations of the optimal filter, there exists a zoo of theoretical convergence results. For example, in [7], almost sure and L2-convergence of particle filters are reviewed. In [8] and [9], the authors show a Central Limit Theorem for classes of particle filters. In practice though, it is very common to assess the performance of a filter using the Mean Square Error (MSE). Intuitively, one would expect that, if the number of particles is sufficiently high, the MSE generated by a particle filter converges to the optimal MSE associated to the optimal filter. The MSE can also be a tool for assessing the stability a filter, see [10] and [11] for stability results of nonlinear Kalman filters. Consequently, showing that a particle filter reaches a quasi-optimal MSE might be a way to show its moment stability provided that another suboptimal filter is stable. Regrettably, the MSE involves integrals of unbounded functions w.r.t. the particle filter that are not handled by classical convergence results. Thus, even though MSE's relevance can be discussed in multi-modal cases, MSE convergence results for particle filters lack in the literature. Besides, despite the very good performance of particle filtering in very nonlinear applications, only a few papers deals with including them in optimal control schemes, see for instance [12, 13, 14, 15].

Email addresses: emilien.flayac@unimelb.edu.au (Emilien Flayac), karim.dahia@onera.fr (Karim Dahia), bruno.herisse@onera.fr (Bruno Hérissé), frederic.jean@ensta-paris.fr (Frédéric Jean)

Secondly, stochastic optimal control problems with imperfect information are more difficult than their full information counterpart. Actually, when only partial information is available, optimal controls have two roles. They must guide the system in a standard way and probe information to be aware of and improve the quality of the future information. It is called the *dual effect* property of the control [16]. As optimal solutions are usually intractable, suboptimal control laws (also called dual controllers) are designed instead with the requirement to keep the property of dual effect. There are two main types of suboptimal dual controllers: implicit ones where one tries to approximate the Bellman equation usually by preserving the feedback structure on the information inside the optimal control problem (see [12, 17, 18]) and explicit ones where an external excitation is introduced in the system to make it actively look for more information. The excitation can take the form of a constraint on the future information [19] or of an additional term in the cost representing a loss of information. The latter way is called integrated experiment design. See [20] for a review in the Stochastic Model Predictive Control framework and [21] for a survey in Adaptive Control. Information constraints may lead to infeasibility issues and are not very flexible. For this reason, in this article, we focus on Explicit dual control methods by integrated experiment design. Implicit methods are solidly formally grounded because they try to reproduce Bellman equation's behaviour. However, explicit ones are less well justified. In fact, the general link between the original optimal control problem and the new one is not clear since the modifications usually come from empirical considerations. The need for an external excitation that makes the control actively learn is generally assumed and justified in specific cases only.

In other words, the dual effect property means that estimation and control must be coupled in their design. In particular, the separation principle cannot be applied for general nonlinear systems. Several attempts have been made to study coupled estimation and control in a general framework. In [22], a general formalism for joint nonlinear observer and control design is presented in a continuous-time deterministic framework. In [23], a min-max formalism for combined Moving Horizon Estimation and Model Predictive Control is presented but without imposing the dual effect property. To the best of our knowledge, there exists no joint formulation of the problem of optimal estimation and control in a general discrete time stochastic framework.

In this paper, an infinite-horizon multistage stochastic optimisation problem that gathers an optimal estimation problem and a stochastic optimal control problem with imperfect information is proposed. After writing its Bellman equation, one can decompose the problem into two steps. The first step is a classical optimal estimation step and the second one is a modified stochastic optimal control step in which the optimal estimation error is added to the cost. These steps allow us to justify the use of particle filtering and Explicit dual control in an estimation/control scheme. In fact, we prove the near-optimality of the empirical mean of a specific particle filter in the case of MSE minimisation, with a rate of convergence. This means that the first step can be solved approximately by a particle filter under suitable assumptions on the model. Afterwards, we make a strong analogy between the modified control problem and integrated experiment design. The idea is that the additional empirical cost could be seen as a approximation of the optimal estimation error as it is itself a measure of information. Explicit dual control is then an practical solution of our second step. Finally, we present an example coming from Aerospace engineering in which both particle filtering and Explicit dual control are very relevant. We also check that this application satisfies the assumptions of our near-optimality results.

The paper is structured as follows. Section 2 gathers important notations used in the sequel. Section 3 recalls some basics of optimal estimation and stochastic optimal control with imperfect information. Section 4 presents the coupling multistage program along with its analysis and re-decomposition into two steps. Section 5 contains the main convergence results concerning particle filtering and MSE minimisation. Section 6 presents the link between the modified control problem and Explicit dual control. Finally, Section 7 describes how the example of Terrain-Aided Navigation fits the proposed framework.

2. Notations

Let $(\Omega, \mathcal{F}, P)$ be a probability space. In the following, random variables refer to $\mathcal{F}$ -measurable functions defined on Ω . For $i \in \mathbb{N}^*$, $\mathcal{B}(\mathbb{R}^i)$ denotes the set of Borel sets of $\mathbb{R}^i$ and $\mathcal{P}(\mathbb{R}^i)$ the set of probability distributions on $\mathbb{R}^i$. For a random variable X and a probability distribution, $X \sim p$ means that p is the probability law of X . $P(\cdot|\cdot)$ and $E(\cdot|\cdot)$ denotes the conditional probability and expectation. For X and Y two random variables valued respectively in $\mathbb{R}^i$ and $\mathbb{R}^j$ and $A \in \mathcal{B}(\mathbb{R}^j)$, $P(Y \in A|X = x)$ is uniquely defined only for almost all x in $\mathbb{R}^i$ considering the distribution of X . However, we will omit it several times in this paper when it is not important. In the sequel, a.a. is an abbreviation for almost all. For $\mu \in \mathcal{P}(\mathbb{R}^i)$, $f : \mathbb{R}^i \rightarrow \mathbb{R}^j$ μ -integrable, and $A \in \mathcal{B}(\mathbb{R}^i)$, we denote the integral of f w.r.t μ on A by $\int_A f(x)\mu(dx)$. Integrals w.r.t the Lebesgue measure are denoted by $\int_A f(x)dx$. When conciseness is required, we use a bracket notation for the integrals on the whole space, so that $\int_{\mathbb{R}^i} f(x)\mu(dx) = \langle \mu, f \rangle$. For $x \in \mathbb{R}^i$, δ_x denotes the Dirac probability measure centered at

x . Id stands for the identity functions on $\mathbb{R}^i$. In the sequel, all the optimisation problems are assumed to have a solution, in particular the notation 'min' is used instead of 'inf'.

3. Elements of stochastic estimation and control

3.1. Setup

We consider a discrete-time process $X = (X_k)_{k \in \mathbb{N}}$ valued in $\mathbb{R}^{n_x}$ representing the state of a controlled stochastic dynamical system described by the following equation:

$$\begin{aligned} X_{k+1} &= f(X_k, U_k, \xi_k), \quad \forall k \in \mathbb{N} \\ X_0 &\sim p_0, \end{aligned} \tag{1}$$

where:

- p_0 is a probability law on $\mathbb{R}^{n_x}$;
- $(U_k)_{k \in \mathbb{N}}$ is the control process valued in $\mathcal{U} \subset \mathbb{R}^{n_u}$. $\mathcal{U}$ is the set of admissible control values;
- $(\xi_k)_{k \in \mathbb{N}}$ are i.i.d. random variables valued in $\mathbb{R}^{n_\xi}$ distributed according to p_ξ . For each $k \in \mathbb{N}$, ξ_k represents an external disturbance on the dynamics;
- $f: \mathbb{R}^{n_x} \times \mathbb{R}^{n_u} \times \mathbb{R}^{n_\xi} \longrightarrow \mathbb{R}^{n_x}$ is measurable.

In fact, equation (1) defines $(X_k)_{k \in \mathbb{N}}$ as a Markov Decision Process on $\mathbb{R}^{n_x}$. Its transition kernel, denoted by K , is assumed to have a density with respect to the Lebesgue measure meaning that for all $A \in \mathcal{B}(\mathbb{R}^{n_x})$, for $x \in \mathbb{R}^{n_x}$ and $u \in \mathbb{R}^{n_u}$,

$$P(X_{k+1} \in A | X_k = x, U_k = u) = \int_A K(z, x, u) dz, \tag{2}$$

where $K: \mathbb{R}^{n_x} \times \mathbb{R}^{n_x} \times \mathbb{R}^{n_u} \longrightarrow \mathbb{R}^+$ is measurable and satisfies for $x \in \mathbb{R}^{n_x}$ and $u \in \mathbb{R}^{n_u}$, $\int_{\mathbb{R}^{n_x}} K(z, x, u) dz = 1$. Additionally, we assume that the state of the system is only available through some observations represented by a stochastic process $Y = (Y_k)_{k \in \mathbb{N}}$ valued in $\mathbb{R}^{n_y}$ which verifies for any $k \in \mathbb{N}$,

$$Y_k = h(X_k, \eta_k), \tag{3}$$

where:

- $(\eta_k)_{k \in \mathbb{N}}$ are i.i.d. random variables valued in $\mathbb{R}^{n_\eta}$ distributed according to p_η ; for each $k \in \mathbb{N}$, η_k represents an external disturbance on the observations.
- $h: \mathbb{R}^{n_x} \times \mathbb{R}^{n_\eta} \longrightarrow \mathbb{R}^{n_y}$ is measurable.

In the following, we assume that the conditional distribution defined by equation (3) has a density with respect to the Lebesgue measure such that there exists a likelihood function $\rho: \mathbb{R}^{n_y} \times \mathbb{R}^{n_x} \rightarrow \mathbb{R}^+$. Therefore, for $k \in \mathbb{N}$, for x in $\mathbb{R}^{n_x}$ for $B \in \mathcal{B}(\mathbb{R}^{n_y})$:

$$P(Y_k \in B | X_k = x_k) = \int_B \rho(y, x) dy,$$

with ρ measurable and $\int_{\mathbb{R}^{n_y}} \rho(y, x) dy = 1$. For $k \in \mathbb{N}$, we define the vector of *available information* I_k as follows:

$$I_k = (Y_0, U_0, \dots, Y_{k-1}, U_{k-1}, Y_k). \tag{4}$$

Note that I_k represents all the *values* that are available to compute an estimator of the state and a control. Another important quantity in this framework is the conditional distribution of X_k given I_k , called the filtering distribution (or optimal filter) and denoted by μ_k . It is of central importance in Bayesian filtering as it contains and weighs the possible values of the current state X_k given only the value of I_k . It is known that μ_k satisfies the nonlinear filtering equations which can be summed up as follows:

$$\mu_{k+1} = F(\mu_k, Y_{k+1}, U_k), \tag{5}$$

where $F : \mathcal{P}(\mathbb{R}^{n_x}) \times \mathbb{R}^{n_y} \times \mathbb{R}^{n_u} \longrightarrow \mathcal{P}(\mathbb{R}^{n_x})$ and μ_0 is supposed to be known.

The problem of estimation and control treated in this paper can be formulated as finding an estimator of the state, $\hat{X}_k$ and a control U_k as functions of I_k such that:

$$\hat{X}_k = \pi_k^e(I_k), \quad U_k = \pi_k^c(I_k), \quad (6)$$

where $\pi_k^e: (\mathbb{R}^{n_y} \times \mathbb{R}^{n_u})^k \times \mathbb{R}^{n_y} \longrightarrow \mathbb{R}^{n_x}$ and $\pi_k^c: (\mathbb{R}^{n_y} \times \mathbb{R}^{n_u})^k \times \mathbb{R}^{n_y} \longrightarrow \mathcal{U} \subset \mathbb{R}^{n_u}$ are measurable. Sequences of the form $\pi^e = (\pi_0^e, \dots, \pi_k^e, \dots)$ (resp. $\pi^c = (\pi_0^c, \dots, \pi_k^c, \dots)$) are called estimation (resp. control) policies.

Besides, it can be shown that μ_k carries as much information as I_k . More precisely, looking at μ_k as a random variable on $\mathcal{P}(\mathbb{R}^{n_x})$ equipped with the Borel σ -algebra for the weak topology, it is a sufficient statistics (see [24, 25]). It means that the estimation and control policies can also be looked for as functions of μ_k instead of I_k . Since equation (5) describes a time homogeneous Markov Chain on $\mathcal{P}(\mathbb{R}^{n_x})$ [25, 26], one can look for time-homogeneous functions such that, for $k \geq 0$:

$$\hat{X}_k = \pi_0^e(\mu_k), \quad U_k = \pi_0^c(\mu_k), \quad (7)$$

where $\pi_0^e: \mathcal{P}(\mathbb{R}^{n_x}) \longrightarrow \mathbb{R}^{n_x}$ and $\pi_0^c: \mathcal{P}(\mathbb{R}^{n_x}) \longrightarrow \mathcal{U} \subset \mathbb{R}^{n_u}$ are also measurable with the policies being $\pi^e = (\pi_0^e, \pi_0^e, \dots)$ and $\pi^c = (\pi_0^c, \pi_0^c, \dots)$.

The idea of the following is to look for π^e and π^c in an optimal way. With this in mind, the basics of optimal estimation and stochastic optimal control with imperfect information are recalled.

3.2. Optimal estimation

Classically, optimal estimation is concerned with finding an estimator of X_k as a function of I_k that minimises in average a general measure of the estimation error denoted by g^e . This leads to the following optimisation problem:

$$\begin{aligned} \min_{\pi_k^e} \quad & E \left[g^e(X_k, \hat{X}_k) | I_k \right] \\ \text{s.t.} \quad & \hat{X}_k = \pi_k^e(I_k). \end{aligned} \quad (8)$$

Actually, the conditional expectation in the cost function from Problem (8) can also be represented as an integral of g^e w.r.t. the filtering distribution μ_k and a new cost $\tilde{g}_e$ can be written as follows for any $\mu \in \mathcal{P}(\mathbb{R}^{n_x})$ and $\hat{x} \in \mathbb{R}^{n_x}$:

$$\tilde{g}^e(\mu, \hat{x}) = \langle \mu, g^e(\cdot, \hat{x}) \rangle,$$

where $\langle \cdot, \cdot \rangle$ denotes the integral operator. Since g^e does not depend explicitly on time, one obtains the following reformulation of Problem (8) using a time homogeneous estimation policy of the form of (7):

$$\begin{aligned} \min_{\pi_k^e} \quad & \tilde{g}^e(\mu_k, \hat{X}_k) \\ \text{s.t.} \quad & \hat{X}_k = \pi_0^e(\mu_k). \end{aligned} \quad (9)$$

Problem (8) and (9) have generally no analytical solutions except in a few cases including the case where $g^e(x, \hat{x}) = \|\hat{x} - x\|^2$ with $\|\cdot\|$ standing for the Euclidean norm on $\mathbb{R}^{n_x}$. The latter problem is referred to as the conditional Mean Square Error (MSE) minimisation problem and reads:

$$\begin{aligned} \min_{\pi_k^e} \quad & E \left[\|\hat{X}_k - X_k\|^2 | I_k \right] \\ \text{s.t.} \quad & \hat{X}_k = \pi_k^e(I_k). \end{aligned} \quad (10)$$

By simple calculations, one gets that the almost surely optimal estimator w.r.t. the distribution of I_k is the expectation of X_k conditionally to I_k , defined in the following by $X_k^* := E[X_k | I_k]$. Note that $\hat{X}_k^*$ can be rewritten as the integral of Id w.r.t. μ_k such that:

$$\hat{X}_k^* = \langle \mu_k, \text{Id} \rangle. \quad (11)$$

It is well known from [27] that $\hat{X}_k^*$ is also the solution of the total MSE minimisation problem which reads:

$$\begin{aligned} \min_{\pi^e} \quad & E \left[\|\hat{X}_k - X_k\|^2 \right] \\ \text{s.t.} \quad & \hat{X}_k = \pi_k^e(I_k). \end{aligned} \quad (12)$$

3.3. Stochastic Optimal Control with imperfect information

We consider classical time-homogeneous, infinite horizon stochastic optimal control problems with imperfect information. To do so, we define a time homogeneous instantaneous cost $g^c: \mathbb{R}^{n_x} \times \mathbb{R}^{n_u} \times \mathbb{R}^{n_\xi} \rightarrow \mathbb{R}^+$ and a discount factor $\alpha \in]0, 1]$. Using also the dynamics (1), the observation equation (2) and the information dynamics (4), one gets the following problem in the information vector space, for any i_0 :

$$\begin{aligned} V_0(i_0) = \min_{\pi_k^c} \quad & E \left[\sum_{k=0}^{+\infty} \alpha^k g^c(X_k, U_k, \xi_k) | I_0 = i_0 \right] \\ \text{s.t.} \quad & \begin{aligned} X_{k+1} &= f(X_k, U_k, \xi_k), \\ Y_k &= h(X_k, \eta_k), \\ I_{k+1} &= (I_k, U_k, Y_{k+1}), \\ U_k &= \pi_k^c(I_k), \forall k \geq 0. \end{aligned} \end{aligned} \quad (13)$$

Using the Markov structure of $(\mu_k)_{k \geq 0}$ mentioned previously, one can reformulate Problem (13) as a perfect information one on $\mathcal{P}(\mathbb{R}^{n_x})$ with the new state being μ_k . Additionally, as g^c does not depend explicitly on time, similarly to g^e , one can use policies of the form (7). The resulting problem can be written compactly as follows, for any $\mu \in \mathcal{P}(\mathbb{R}^{n_x})$:

$$\begin{aligned} V(\mu) = \min_{\pi_0^c} \quad & E \left[\sum_{k=0}^{+\infty} \alpha^k \tilde{g}^c(\mu_k, U_k) | \mu_0 = \mu \right] \\ \text{s.t.} \quad & \begin{aligned} \mu_{k+1} &= F(\mu_k, Y_{k+1}, U_k), \\ U_k &= \pi_0^c(\mu_k), \forall k \geq 0, \end{aligned} \end{aligned} \quad (14)$$

with $\tilde{g}^c(\mu_k, u) = \langle \mu_k, c(\cdot, u) \rangle$ where c depends on g^c and on the conditional distribution of ξ_k knowing X_k . As Problem (14) is a perfect information one, the Dynamics Programming (DP) Principle can be applied (see [25] for the details) and one obtains the following Bellman equation, for any $\mu \in \mathcal{P}(\mathbb{R}^{n_x})$:

$$\begin{aligned} V(\mu) = \min_{u \in \mathcal{U}} \quad & E [\tilde{g}^c(\mu, u) + \alpha V(\mu_{\ell+1}) | \mu_\ell = \mu] \\ \text{s.t.} \quad & \mu_{\ell+1} = F(\mu_\ell, Y_{\ell+1}, u). \end{aligned} \quad (15)$$

It can be seen from the DP Principle (15) that any optimal policy, denoted by π_*^c , exhibits implicit dual effect. It means that the controls influence the future available information and thus future state estimation. The term 'implicit' refers to the fact that, in the case of optimal policies, the dual effect comes from optimality and not from an external excitation. In this sense, control and state estimation cannot be separated and must be coupled in their design. In the sequel, we formalise this idea in a joint optimisation framework.

4. Coupled optimal estimation and control

4.1. Formalisation of the optimisation problem

In this section, we consider the system (1) with the observation equation (3) and focus on the infinite horizon case. The idea is to add an estimator as a variable in (13) in order to mix Problem (8) and (13). To do so we consider an augmented control $W_k = (U_k, \hat{X}_k)$ and the corresponding augmented information vector $\tilde{I}_k$ defined recursively as follows:

$$\tilde{I}_0 = Y_0, \quad \tilde{I}_{k+1} = (\tilde{I}_k, W_k, Y_{k+1}). \quad (16)$$

In fact, W_k is chosen as a function of $\tilde{I}_k$ as in equation (6) such that for $k \geq 0$:

$$U_k = \pi_k^c(\tilde{I}_k), \quad \hat{X}_k = \pi_k^e(\tilde{I}_k), \quad \pi_k^{aug} = (\pi_k^c, \pi_k^e),$$

$$W_k = (U_k, \hat{X}_k) = \pi_0^{aug}(I_k).$$

We also define the new augmented cost function g^{aug} and dynamics f^{aug} in the following way, for $x \in \mathbb{R}^{n_x}$, $w = (u, \hat{x}) \in \mathcal{U} \times \mathbb{R}^{n_x}$, $\xi \in \mathbb{R}^{n_\xi}$:

$$g^{aug}(x, w, \xi) = g^c(x, u, \xi) + g^e(x, \hat{x}), \quad (17)$$

$$f^{aug}(x, w, \xi) = f(x, u, \xi), \quad (18)$$

where $g^e: \mathbb{R}^{n_x} \times \mathbb{R}^{n_x} \rightarrow \mathbb{R}^+$ is a measure of the estimation error as in Problem (8) and $g^c: \mathbb{R}^{n_x} \times \mathbb{R}^{n_u} \times \mathbb{R}^{n_\xi} \rightarrow \mathbb{R}^+$ is the cost function of a classical stochastic optimal control of the form (13). Note that the augmented dynamics f^{aug} does not depend on $\hat{x}$. The main assumption in (17) is that the total cost g^{aug} can be separated as a sum of a control-oriented term and an estimation-oriented term. It is a mild assumption as one can consider that the true underlying estimation and control problem would be a bi-objective one with g^c and g^e being the two cost functions. Intuitively, g^c and g^e are often anti-correlated because one often needs to trade some control performance for a better estimation. See [21] for an example in adaptive control. With this in mind, equation (17) can be seen as a trade-off coming from the conversion of a bi-objective problem into a mono-objective one. The last remarks lead to the following optimisation problem for $\tilde{i}_0 \in \mathbb{R}^{n_y}$:

$$\begin{aligned} \tilde{V}(\tilde{i}_0) = \min_{\pi_0^c, \pi_0^e} \quad & E_{p_0}^\pi \left[\sum_{k=0}^{+\infty} \alpha^k g^{aug}(X_k, W_k, \xi_k) | \tilde{I}_0 = \tilde{i}_0 \right] \\ \text{s.t.} \quad & X_{k+1} = f^{aug}(X_k, W_k, \xi_k), \\ & Y_k = h(X_k, \eta_k), \\ & \tilde{I}_{k+1} = (\tilde{I}_k, W_k, Y_{k+1}), \\ & W_k = (\pi_k^c(\tilde{I}_k), \pi_k^e(\tilde{I}_k)), \forall k \geq 0. \end{aligned} \quad (19)$$

Problem (19) combines Problems (8) and (13) in one multistage optimisation problem. The study of this formulation has been started in [14]. It is actually inspired from [23] in which a similar gathering is done in a min-max optimisation framework. We would like to write the DP principle for the problem (19) to make explicit links with classical optimal control and optimal estimation. As we did for the problem (13), we can rewrite the problem (19) in terms of the conditional distribution of X_k knowing $\tilde{I}_k$, denoted by $\tilde{\mu}_k$. As for μ_k , one can derive the dynamics of $\tilde{\mu}_k$ from equations (3) and (18):

$$\tilde{\mu}_{k+1} = F^{aug}(\tilde{\mu}_k, Y_{k+1}, W_k), \quad (20)$$

with $F^{aug}: \mathcal{P}(\mathbb{R}^{n_x}) \times \mathbb{R}^{n_y} \times \mathbb{R}^{n_u} \rightarrow \mathcal{P}(\mathbb{R}^{n_x})$ leading to:

$$\begin{aligned} \tilde{V}(\mu) = \min_{\pi_0^{aug}} \quad & E \left[\sum_{k=0}^{+\infty} \alpha^k \tilde{g}^{aug}(\tilde{\mu}_k, W_k) | \tilde{\mu}_0 = \mu \right] \\ \text{s.t.} \quad & \tilde{\mu}_{k+1} = F^{aug}(\tilde{\mu}_k, Y_{k+1}, W_k), \\ & W_k = \pi_0^{aug}(\tilde{\mu}_k), \forall k \geq 0, \end{aligned} \quad (21)$$

where $\tilde{g}^{aug} = \tilde{g}_c + \tilde{g}_e$ with $\tilde{g}_c$ and $\tilde{g}_e$ defined as in Sections 3.2 and 3.3. One would like to use the structure of the cost to separate the problem of control and estimation. In this sense, the formulation (21) is not practical because it involves $\tilde{\mu}_k$ which depends on the estimator whereas f^{aug} actually does not. To split the two problems back, we start by noticing that the filtering equation of the augmented system and of the original one are the same meaning that:

$$F^{aug}(\tilde{\mu}_k, Y_{k+1}, W_k) = F(\mu_k, Y_{k+1}, U_k).$$

Note that $\tilde{\mu}_0 = \mu_0$. This leads, by recursion on k , to $\tilde{\mu}_k = \mu_k$ almost surely. Finally, we can write our coupled control and estimation problem as a perfect information problem with μ_k as the state:

$$\begin{aligned} \tilde{V}(\mu) = \min_{\pi_0^c, \pi_0^e} \quad & E^\pi \left[\sum_{k=0}^{+\infty} \alpha^k (\tilde{g}^c(\mu_k, U_k) + \tilde{g}^e(\mu_k, \hat{X}_k)) | \mu_0 = \mu \right] \\ \text{s.t.} \quad & \mu_{k+1} = F(\mu_k, Y_{k+1}, U_k), \\ & U_k = \pi_0^c(\mu_k), \\ & \hat{X}_k = \pi_0^e(\mu_k), \forall k \geq 0. \end{aligned} \quad (22)$$

4.2. Dynamic Programming principle

From (22), the Bellman equation of the coupled problem reads:

$$\begin{aligned} \tilde{V}(\mu) = \min_{(u, \hat{x}) \in \mathcal{U} \times \mathbb{R}^{n_x}} & E \left[\tilde{g}^c(\mu, u) + \tilde{g}^e(\mu, \hat{x}) + \alpha \tilde{V}(\mu_{\ell+1}) | \mu_\ell = \mu \right] \\ \text{s.t.} & \mu_{\ell+1} = F(\mu_\ell, Y_{\ell+1}, u), \end{aligned}$$

As $\tilde{g}^c(\mu, u)$ and $\tilde{g}^e(\mu, \hat{x})$ are deterministic and F does not depend on $\hat{x}$:

$$\begin{aligned} \tilde{V}(\mu) = \min_{u \in \mathcal{U}} & \left(\min_{\hat{x} \in \mathbb{R}^{n_x}} \tilde{g}^e(\mu, \hat{x}) \right) + \tilde{g}^c(\mu, u) + \alpha E \left[\tilde{V}(\mu_{\ell+1}) | \mu_\ell = \mu \right] \\ \text{s.t.} & \mu_{\ell+1} = F(\mu_\ell, Y_{\ell+1}, u). \end{aligned} \quad (23)$$

Equation (23) illustrates the fact that Problem (19), which gathers optimal control and optimal estimation, can actually be split back into a hierarchy of two problems. Indeed, it justifies the use of a resolution scheme in two steps:

1. First, one solves the inner minimisation in Problem (23) which is a classical optimal problem of the form (9). Any of its solution gives a time invariant optimal estimation policy denoted by $\pi_*^e(\mu)$. From this, we set:

$$\tilde{g}_*^e(\mu) := \tilde{g}^e(\mu, \pi_*^e(\mu)) = \min_{\hat{x} \in \mathbb{R}^{n_x}} \tilde{g}^e(\mu, \hat{x}) \quad (24)$$

2. Secondly, by substituting (24) in (23) one gets:

$$\begin{aligned} \tilde{V}(\mu) = \min_{u \in \mathcal{U}} & \tilde{g}_*^e(\mu) + \tilde{g}^c(\mu, u) + \alpha E \left[\tilde{V}(\mu_{\ell+1}) | \mu_\ell = \mu \right] \\ \text{s.t.} & \mu_{\ell+1} = F(\mu_\ell, Y_{\ell+1}, u). \end{aligned} \quad (25)$$

Equation (25) can be interpreted as the Bellman equation of a stochastic optimal control problem on $\mathcal{P}(\mathbb{R}^{n_x})$ which has the same optimal value as Problem (21). The second step is then to solve this problem:

$$\begin{aligned} \tilde{V}(\mu) = \min_{\pi_0^c} & E^\pi \left[\sum_{k=0}^{+\infty} \alpha^k (\tilde{g}^c(\mu_k, U_k) + \tilde{g}_*^e(\mu_k)) | \mu_0 = \mu \right] \\ \text{s.t.} & \begin{aligned} \mu_{k+1} &= F(\mu_k, Y_{k+1}, U_k), \\ U_k &= \pi_0^c(\mu_k), \forall k \geq 0. \end{aligned} \end{aligned} \quad (26)$$

Note that $\tilde{g}_*^e(\mu) = \langle \mu, g^e(\cdot, \pi_*^e(\mu)) \rangle$ so $\tilde{g}_*^e$ is generally nonlinear in μ and is not an integral w.r.t. μ as in (14). Therefore, Problem (26) cannot be written back in the form of Problem (13).

At first sight, this split scheme looks like any classical one because most of the outputfeedback controllers are built from an estimation and a control step. However, it is different from a classical scheme in several ways. First, the two hierarchical steps appears naturally from the coupled problem (19) meaning that the splitting is structural in this case and does not come from an assumption of separation. Secondly, the actual value of $\hat{X}_k$ is not directly involved in the control problem (26) but only μ_k . In practice however, the same approximation of μ_k is generally used both in the estimation and the control step. Finally, the Problem (26) has new interesting properties that will be the topic of Section 6. The goal of the next two sections is to give a practical resolution of the scheme described in this section by means of a particle filtering algorithm for Step 1 and of a general Explicit dual control scheme for Step 2.

5. Particle filtering and near-optimal estimation

In equation (7), the posterior distribution μ_k is implicitly assumed known when I_k is. However, for a general nonlinear case, μ_k does not have an analytical form and approximations must be carried out. Kalman filters are widespread and easy-to-compute approximations of μ_k but they may fail in the presence of high nonlinearities and multimodality. Besides, nonlinear Kalman filters are not optimal even for problem (10) and their suboptimality is generally impossible to quantify. That is why, in the sequel, we focus on particle filtering algorithms to approach μ_k . Then, we show that the empirical mean of a specific particle filter is near-optimal for Problem (10) and a rate of convergence is provided.

5.1. Particle filtering

A particle filter approximates the posterior distribution μ_k by a set of $N \geq 1$ particles, $(x_k^i)_{i=1,\dots,N}$ valued in $\mathbb{R}^{n_x}$, associated with nonnegative and normalized weights $(\omega_k^i)_{i=1,\dots,N}$. This approximation is denoted by μ_k^N . The same can be done with the predicted distribution $\mu_{k|k-1}$ with similar notations:

$$\mu_k^N = \sum_{i=1}^N \omega_k^i \delta_{x_k^i}, \quad \mu_{k|k-1}^N = \sum_{i=1}^N \omega_{k|k-1}^i \delta_{x_{k|k-1}^i}. \quad (27)$$

As for Kalman filters, a particle filter is computed recursively following two steps: prediction and correction. During the prediction step, the particles are propagated using an importance distribution that is often chosen as the Markov kernel K from the dynamics. During the correction step, the weights are updated thanks to the last observation and the particles are resampled from the updated weights. In the sequel, we consider a particular algorithm coming from [28] where an intermediary step of selection of the particles according to their likelihood is added. Moreover, we define the empirical mean of the filter μ_k^N , denoted by $\hat{X}_k^N$ as follows:

$$\hat{X}_k^N = \sum_{i=1}^N \omega_k^i x_k^i = \langle \mu_k^N, \text{Id} \rangle. \quad (28)$$

5.2. Near-optimal estimation

5.2.1. Statement of the problem

In this section, we consider a fixed vector of information i_k . Thus, μ_k is the distribution of X_k conditionally to $I_k = i_k$ and $\mu_{k|k-1}$ is the distribution of X_k conditionally to $I_{k-1} = i_{k-1}$. In Section 4, we have seen that if we model the problem of control and estimation as an optimisation problem then a step of optimal estimation is required at each time k . We focus on the Mean Square Error minimisation problem i.e. we assume that $g^e(x, \hat{x}) = \|\hat{x} - x\|^2$. We recall the problem seen in Section 3.2:

$$\min_{\hat{x} \in \mathbb{R}^{n_x}} E[\|\hat{x} - X_k\|^2 | I_k = i_k]. \quad (29)$$

We are concerned with MSE because it is a very popular estimation error measure of particle filters in practice but it has not really been studied theoretically. Besides, in this section, we study the conditional MSE minimisation problem (10) precisely because this problem appears in Step 1 in Section 4. However, we are also interested in the minimisation of the total MSE. In fact, It gives a more useful assessment of the filter than the conditional MSE because it does not depend on i_k which is unknown at the initial time.

From this, we define the conditional and total optimal MSE at time k denoted respectively by $e_{k,*}^{cond}$ and $e_{k,*}^{tot}$, as follows, for any i_k :

$$e_{k,*}^{cond}(i_k) := E[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k], \quad e_{k,*}^{tot} := E[\|X_k - \hat{X}_k^*\|^2].$$

Similarly to the optimal MSE, we define the empirical conditional and total MSE associated with $\hat{X}_k^N$ denoted respectively by $e_{k,N}^{cond}$ and $e_{k,N}^{tot}$, as follows, for any i_k :

$$e_{k,N}^{cond}(i_k) := E[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k], \quad e_{k,N}^{tot} := E[\|X_k - \hat{X}_k^N\|^2],$$

where the expectation is also taken over the randomness of the particles.

The main contribution of the sequel, gathered in Theorems 5.3 and 5.5 is to show that under suitable assumptions on the dynamics (1), the observation equation (3) and the particle filter (27), the empirical MSE converges to the optimal MSE as the number of particles goes to infinity. More precisely, we prove error bounds between $e_{k,N}^{cond}(i_k)$ and $e_{k,*}^{cond}(i_k)$ and between $e_{k,N}^{tot}$ and $e_{k,*}^{tot}$.

5.2.2. Error bounds between the optimal MSE and the empirical MSE

The main difficulty in the following comes from the fact that, even if $\hat{X}_k^N$ is very commonly used as an approximation of $\hat{X}_k^*$, estimating rigorously the convergence of $\hat{X}_k^N$ to $\hat{X}_k^*$ cannot be achieved by classical error

bounds on particle filters. In fact, from equations (11) and (28), $\hat{X}_k^*$ and $\hat{X}_k^N$ are the integral of Id, which is unbounded, w.r.t. μ_k and μ_k^N . Therefore, it does not fit in the classical framework of weak error bounds.

To begin with, without assumptions, we can compare the several MSE using the optimality of $e_{k,*}^{cond}$ and $e_{k,*}^{tot}$. This is the topic of Lemma 5.1 which is a direct consequence of the optimality of $\hat{X}_k^*$.

Lemma 5.1. *The following inequalities hold, for any $k \geq 0$ and any i_k :*

$$e_{k,*}^{cond}(i_k) \leq e_{k,N}^{cond}(i_k), \quad e_{k,*}^{tot} \leq e_{k,N}^{tot}.$$

Thus, considerations of optimality give a lower bound on both the conditional and total MSE of the particle filter. To find upper bounds, we first treat the conditional case and extend it later to the total case.

Bounds on the conditional MSE

This section is dedicated to the proof of an upper bound on $e_{k,N}^{cond}(i_k)$ and of the convergence of $e_{k,N}^{cond}(i_k)$ to $e_{k,*}^{cond}(i_k)$. The main result of this section is contained in Theorem 5.3. First, before stating the results of this section, we would like to stress the particularity of our problem by rewriting $e_{k,N}^{cond}(i_k)$ as follows:

$$e_{k,N}^{cond}(i_k) = E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] = E \left[\|X_k - \hat{X}_k^* + \hat{X}_k^* - \hat{X}_k^N\|^2 | I_k = i_k \right], \quad (30)$$

By Young's inequality, we get for any $\epsilon > 0$:

$$\begin{aligned} E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] &\leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right] \\ &\quad + \left(1 + \frac{1}{\epsilon} \right) E \left[\|\hat{X}_k^* - \hat{X}_k^N\|^2 | I_k = i_k \right], \\ &\leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right] \\ &\quad + \left(1 + \frac{1}{\epsilon} \right) E \left[\|\langle \mu_k, \text{Id} \rangle - \langle \mu_k^N, \text{Id} \rangle\|^2 | I_k = i_k \right]. \end{aligned} \quad (31)$$

The last inequality can be rewritten as follows:

$$e_{k,N}^{cond}(i_k) \leq (1 + \epsilon) e_{k,*}^{cond}(i_k) + \left(1 + \frac{1}{\epsilon} \right) e_{k,N}^{filter}(i_k), \quad (32)$$

where $e_{k,N}^{filter}(i_k) = E \left[\|\langle \mu_k, \text{Id} \rangle - \langle \mu_k^N, \text{Id} \rangle\|^2 | I_k = i_k \right]$. One can deduce from equation (32) that, up to ϵ , it is sufficient to control the term $e_{k,N}^{filter}(i_k)$. For $x = (x_1, \dots, x_{n_x})$ in the canonical basis of $\mathbb{R}^{n_x}$, and $j = 1, \dots, n_x$ one defines the j^{th} coordinate function, ϕ_j , such that, $\forall x \in \mathbb{R}^{n_x}$:

$$\phi_j(x) = x_j.$$

Then, $e_{k,N}^{filter}(i_k)$ can be decomposed as follows:

$$\begin{aligned} e_{k,N}^{filter}(i_k) &= E \left[\sum_{j=1}^{n_x} |\langle \mu_k, \phi_j \rangle - \langle \mu_k^N, \phi_j \rangle|^2 | I_k = i_k \right], \\ &= \sum_{j=1}^{n_x} E \left[|\langle \mu_k, \phi_j \rangle - \langle \mu_k^N, \phi_j \rangle|^2 | I_k = i_k \right]. \end{aligned} \quad (33)$$

This term can be seen as a quadratic error term of the particle filter μ_k^N where the scalar test functions are the coordinate maps. Actually, classical error bounds do not deal with unbounded functions like Id, see [7] for a survey. Still, a class of unbounded functions has been treated in the form of a Central Limit Theorem in [9] but the result of convergence in law is too weak to be applied to $e_{k,N}^{filter}(i_k)$. However, in [28], a bound on the

L^p -norm for a class of potentially unbounded test functions is given. The error bound is written conditionally to i_k in the following form:

$$E \left[|\langle \mu_k, \psi \rangle - \langle \mu_k^N, \psi \rangle|^p | I_k = i_k \right] \leq C_k \frac{\|\psi\|_{k,p}^p}{N^{p-p/r}}, \quad (34)$$

where $p \geq 2$, $1 \leq r \leq 2$, C_k is a coefficient depending on i_k , ψ is a test function and $\|\psi\|_{k,p} = (\max(1, \langle \mu_0, |\psi|^p \rangle^{\frac{1}{p}}, \dots, \langle \mu_k, |\psi|^p \rangle)^{\frac{1}{p}}$. It was originally written conditionally to a sequence of observation $y_{0:k}$ but the extension conditionally to i_k is straightforward. In the sequel, we would like to apply the bound (34) to $e_{k,N}^{filter}(i_k)$. To do so, we present the adapted assumptions of [28] for the particular case $\psi = \phi_j$, $p = 2$ and $r = 2$.

Assumption 5.1. For any $k \geq 1$, for $0 < \epsilon_k < 1$, for a.a. i_k , there exists $N_k(i_k) > 0$ such that, for $N \geq N_k(i_k)$:

$$\gamma_k = \inf_{i_k} \langle \mu_{k|k-1}, \rho \rangle > 0, \quad (35)$$

$$P(\langle \mu_{k|k-1}^N, \rho \rangle > \gamma_k | I_k = i_k) \geq 1 - \epsilon_k. \quad (36)$$

In particular, under Assumption 5.1, for a.a. i_k , we have $\langle \mu_{k|k-1}, \rho \rangle > \gamma_k$ with γ_k independent of i_k .

Assumption 5.2. For $k \geq 1$ and for a.a. y_k, x_k, x_{k-1} and u_{k-1} :

$$\rho(y_k, x_k) < +\infty, \quad K(x_k, x_{k-1}, u_{k-1}) < +\infty.$$

For $j = 1, \dots, n_x$, we denote respectively the L^∞ -norm of K , ρ and $\rho\phi_j$ w.r.t. x by $\|K\|$, $\|\rho\|$ and $\|\rho\phi_j\|$ i.e, for a.a. i_k :

$$\begin{aligned} \|K\| &= \sup_{x_0, x_1} K(x_1, x_0, u_{k-1}) \\ \|\rho\| &= \sup_x \rho(y_k, x), \\ \|\rho\phi_j^2\| &= \sup_x |\phi_j^2(x) \rho(y_k, x)|. \end{aligned}$$

Assumption 5.3. For $k \geq 1$ and for a.a. i_k ,

$$\|K\| < +\infty, \quad \|\rho\| < +\infty, \quad \|\rho\phi_j^2\| < +\infty.$$

As $\|\rho\phi_j\| \leq \|\rho\phi_j^2\|^{\frac{1}{2}} \|\rho\|^{\frac{1}{2}}$, Assumption 5.3 implies that $\|\rho\phi_j\| < +\infty$. Lemma 5.2 presents then an upper bound of $e_{k,N}^{cond}(i_k)$.

Lemma 5.2. Under Assumption 5.1, 5.2 and 5.3, for $\epsilon > 0$, for $j = 1, \dots, n_x$ and $k \geq 0$, for a.a. i_k , there exist $C_{k,j} > 0$ and $M_{k,j} > 0$, such that for $N \geq N_k(i_k)$:

$$e_{k,N}^{cond}(i_k) \leq (1 + \epsilon) e_{k,*}^{cond}(i_k) + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}, \quad (37)$$

where $\|\phi_j\|_{k,2} = \max(1, \langle \mu_0, |\phi_j|^2 \rangle^{\frac{1}{2}}, \dots, \langle \mu_k, |\phi_j|^2 \rangle^{\frac{1}{2}})$. Besides, $C_{k,j}$ and $M_{k,j}$ follow the following coupled recursion, for a.a. i_k :

$$M_{0,j} = 3, \quad (38)$$

$$C_{0,j} = 8\tilde{C}, \quad (39)$$

$$M_{k,j} = 2 + \alpha_{k,j} \left(1 + \left(\frac{4 - \epsilon_k}{1 - \epsilon_k} + 1 \right) M_{k-1,j} \right) \quad (40)$$

$$C_{k,j}^{\frac{1}{2}} = 2^{\frac{3}{2}} (\tilde{C})^{\frac{1}{2}} M_{k,j}^{\frac{1}{2}} + \frac{2^{\frac{3}{2}} (\tilde{C})^{\frac{1}{2}} \beta_{k,j}}{(1 - \epsilon_k)^{\frac{1}{2}}} M_{k-1,j}^{\frac{1}{2}} \quad (41)$$

$$+ \frac{\|K\|^{\frac{3}{2}} \|\rho\|_{k,2} \beta_{k,j}}{(1 - \epsilon_k)^{\frac{1}{2}} \left| \frac{\gamma_k}{2} - \langle \mu_{k|k-1}, \rho \rangle \right|} M_{k-1,j}^{\frac{1}{2}} C_{k-1,j}^{\frac{1}{2}} + \|K\| \beta_{k,j} C_{k-1,j}^{\frac{1}{2}},$$

$$\beta_{k,j} = \frac{\|\rho\|(\|\phi_j \rho\| + \frac{\gamma_k}{2})}{\frac{\gamma_k}{2} \langle \mu_{k|k-1}, \rho \rangle}, \quad \alpha_{k,j} = \|K\|^2 \frac{\|\rho\|(\|\phi_j^2 \rho\| + \frac{\gamma_k}{2})}{\frac{\gamma_k}{2} \langle \mu_{k|k-1}, \rho \rangle}, \quad (42)$$

where: $\tilde{C} > 0$, $\|\rho\|_{k,2} = \langle \mu_k, \rho \rangle \leq \|\rho\|$ and $N_k(i_k) \geq \frac{\|\rho\|_{k,2}^2 \|K\|^2 \max_j C_{k-1,j}}{\left| \frac{\gamma_k}{2} - \langle \mu_{k|k-1}, \rho \rangle \right|^2 \epsilon_k}$ with $0 < \epsilon_k < 1$ is fixed independently of i_k .

Proof. See Appendix [Appendix A](#). □

By combining Lemma [5.1](#) and [5.2](#), one finally gets Theorem [5.3](#).

Theorem 5.3. Under Assumption [5.1](#), [5.2](#) and [5.3](#), for $\epsilon > 0$, for $k \geq 0$, for a.a. i_k , there exists $C_{k,j} > 0$ such that $\forall N \geq N_k(i_k)$:

$$e_{k,*}^{cond}(i_k) \leq e_{k,N}^{cond}(i_k) \leq (1 + \epsilon) e_{k,*}^{cond}(i_k) + \left(1 + \frac{1}{\epsilon} \right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}. \quad (43)$$

In particular, for a.a. i_k :

$$E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] \xrightarrow{N \rightarrow +\infty} E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right]. \quad (44)$$

Proof. See Appendix [Appendix B](#). □

Remark 5.1.

Assumption [5.2](#) is very mild because most systems have finite likelihood and transition kernel. Assumption [5.3](#) requires that the likelihood function ρ vanishes sufficiently when $\|x\| \rightarrow +\infty$ for a fixed vector i_k to counter the increasing effect of ϕ_j as explained in [\[29\]](#). It is typically verified with Gaussian measurement noise. Assumption [5.1](#) is natural in particle filtering. It requires that the predicted distribution $\mu_{k|k-1}$ and the predicted *particles* match the likelihood ρ for each information vector i_k . The failure of this property is a well known issue in particle filtering and is studied in more depth in [\[29\]](#), [\[30\]](#) and [\[7\]](#). It is notably showed that it has an impact on the precision of some error bounds. Intuitively, the algorithm from [\[28\]](#) forces the particles to be positioned where the true state is sufficiently likely to be with respect to the new observation y_k .

Theorem [5.3](#) basically means that $\hat{X}_k^N$ is near-optimal with respect to the conditional MSE when the number of particle is large enough. Besides, equation [\(43\)](#) gives an estimation of the speed of convergence of the empirical MSE. For example, for $q = \frac{1}{2}$, one can see that the speed of convergence of this MSE is of order $\frac{1}{\sqrt{N}}$. It is slower than usual in Monte Carlo methods. One would rather expect a convergence rate of order $\frac{1}{N}$. The conservativeness of the bound [\(43\)](#) comes from our use of Young's inequality instead of Minkowsky's inequality. Actually, a very similar reasoning could be undertaken using Minkowsky's inequality and one would get a better convergence rate but it would involve the conditional Root Mean Square Errors (RMSE), $(e_{k,*}^{cond})^{\frac{1}{2}}$ and $(e_{k,N}^{cond})^{\frac{1}{2}}$, and not the MSE. The RMSE is easier to interpret than the MSE in practice in an estimation context for the same reasons that the standard deviation is easier to relate to concrete data than the variance. However, minimising a MSE is more adapted to the context of stochastic optimisation defined in Section [4.2](#). That is why, we focus on MSEs and not RMSEs in this section even if we lose some precision in the error bounds.

In the sequel, we would like to extend the result of Theorem 5.3 to the total MSE. A intuitive way would be to integrate equation (B.1) over i_k . However, it is not possible in its current form because $C_{k,j}$ and $M_{k,j}$ depend on i_k which makes the integrability on the right-hand of equation (B.1) hard to evaluate. Moreover, the threshold $N_k(i_k)$ also depends on i_k so one cannot apply the Dominated Convergence theorem directly.

Bound on the total MSE

The main contribution of this section is the extension of the result of Theorem 5.3 to the total MSE. This result is presented in Theorem 5.5.

We first assume that X_k is square integrable

Assumption 5.4. For any $k \geq 0$:

$$\mathbb{E}[\|X_k\|^2] < +\infty.$$

As in the conditional case, Lemma 5.1 provides a lower bound of $e_{k,N}^{tot}$, we are then looking for an upper bound of $e_{k,N}^{tot}$. As suggested earlier, one would like to integrate the right-hand side of equation (37) w.r.t. i_k , which is defined, for $\epsilon > 0$, for a.a. i_k and for any $N \geq N_k(i_k)$ by:

$$(1 + \epsilon)e_{k,*}^{cond}(i_k) + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}.$$

Note first that, under Assumption 5.4, $E[e_{k,*}^{cond}(i_k)] = e_{k,*}^{tot} < +\infty$. and that $\forall k \geq 0, \forall j = 1, \dots, n$, $\langle \mu_k, |\phi_j|^2 \rangle$ is integrable. Thus, $\|\phi_j\|_{k,2}^2$ is integrable.

Actually, the first issue lays in the fact that $C_{k,j}$ depends on i_k and it is not clear at all from equations (38) to (42) that each term $C_{k,j} \|\phi_j\|_{k,2}^2$ is integrable w.r.t. i_k . To tackle this issue, we show that if the coefficients $\|K\|$, $\|\rho\|$, $\|\rho\phi_j^2\|$ and $\|\rho\phi_j\|$ are bounded uniformly w.r.t. i_k , then $C_{k,j}$ and $M_{k,j}$ are too. This leads to Assumption 5.5.

Assumption 5.5. $\forall k \geq 0, \forall j = 1, \dots, n_x$:

$$\begin{aligned} \|K\|_\infty &= \sup_{x_1, x_0, u_0} K(x_0, x_1, u_0) < +\infty, \\ \|\rho\|_\infty &= \sup_{x, y} \rho(y, x) < +\infty, \\ \|\rho\phi_j^2\|_\infty &= \sup_{x, y} |\phi_j^2(x)\rho(y, x)| < +\infty. \end{aligned}$$

It is clear that Assumption 5.5 implies Assumption 5.3. As $\|\rho\phi_j\|_\infty \leq \|\rho\phi_j^2\|_\infty^{\frac{1}{2}} \|\rho\|_\infty^{\frac{1}{2}}$, Assumption 5.5 implies that $\|\rho\phi_j\|_\infty < +\infty$.

We can now state the following Lemma:

Lemma 5.4. Under Assumptions 5.1, 5.2, 5.4 and 5.5, for $k \geq 0$, for $j = 1, \dots, n_x$, there exist $C'_{k,j} > 0$ and $M'_{k,j} > 0$ such that, for a.a. i_k :

$$C_{k,j} \leq C'_{k,j} < +\infty, \quad M_{k,j} \leq M'_{k,j} < +\infty.$$

Proof. See Appendix Appendix C. □

Finally, each term $C'_{k,j} \|\phi_j\|_{k,2}^2$ is integrable which solves our first problem. Our second problem is that the threshold $N_k(i_k)$ also depends on i_k . Actually, under the same assumption, one can find a larger threshold that does not depend on i_k . This is the topic of the next result:

Theorem 5.5. Under Assumptions 5.1, 5.2 and 5.5, for $0 < q < 1$, for $k \geq 0$, there exists $\bar{N}_k > 0$, such that for any $N \geq \bar{N}_k$

$$e_{k,*}^{tot} \leq e_{k,N}^{tot} \leq \left(1 + \frac{1}{N^q}\right) e_{k,*}^{tot} + (1 + N^q) \frac{\sum_{j=1}^n C'_{k,j} E[\|\phi_j\|_{k,2}^2]}{N} < +\infty. \quad (45)$$

In particular:

$$E \left[\|X_k - \hat{X}_k^N\|^2 \right] \xrightarrow{N \rightarrow +\infty} E \left[\|X_k - \hat{X}_k^*\|^2 \right]. \quad (46)$$

Proof. See Appendix [Appendix D](#). $\square$

Similarly to Theorem 5.3, Theorem 5.5 means that the total MSE associated with $\hat{X}_k^N$ is close to be optimal if the number of particle is sufficiently high. Theorem 5.5 also provides an estimation of the rate of convergence. This leads to several remarks and interpretations.

Remark 5.2.

Assumption 5.4 is mild and needed to ensure that the optimal estimation error is finite. Assumption 5.5 is stronger than Assumption 5.3. It is typically verified when the measurement noise is bounded. This will be illustrated in Section 7.

The coefficients $M'_{k,j}$ and $C'_{k,j}$ tend to $+\infty$ with time. Actually, It can be easily seen from equation (C.3) that, for $j = 1, \dots, n_x$, and $k \geq 1$,

$$M'_{k,j} \geq \alpha'_{k,j} \theta_k M'_{k-1,j},$$

with $\theta_k = 1 + \frac{4-\epsilon_k}{1-\epsilon_k} \geq 2$. In fact, in most relevant cases, $\alpha'_{k,j} \geq 1$ so $C'_{k,j}$ and $M'_{k,j}$ go to $+\infty$ as $k \rightarrow +\infty$. Thus, $\bar{N}_k$ tends to $+\infty$ too which means that the error bound from Theorem 5.5 is not uniform in k . This is classical for this type of error bound as described in [7]. To get uniformity in k , one typically need a mixing assumption on K , see [30].

Theorem 5.3 justifies the use of particle in the framework of Section 4.2 because it shows that $\hat{X}_k^N$ solves approximately Problem (29) which was the first objective of this section. Theorem 5.5 rather paves the way to a proof of error bounds on particle filters oriented toward particle filter moment stability. Actually, let us assume that a stricly suboptimal estimator of X_k w.r.t. to the total MSE, denoted by $\hat{X}_k^{sub}$, is available. For example, $\hat{X}_k^{sub}$ may come from a Kalman-like filter in a nonlinear case. By optimality of $\hat{X}_k^*$ and by Theorem 5.5 for a sufficiently large N , one gets, for $k \geq 0$:

$$e_{k,*}^{tot} \leq e_{k,N}^{tot} < E \left[\|X_k - \hat{X}_k^{sub}\|^2 \right]. \quad (47)$$

This means that the particle filter has better performance than any other suboptimal filter if the number of particles is sufficiently high. This result is not surprising and observed in practice. However, a rigorous proof of such a result has never been made to the best of our knowledge. As a result, one can see from equation (47) that is the MSE generated by $\hat{X}_k^{sub}$ is bounded w.r.t. k then so is $e_{k,N}^{tot}$. This seems to be a good alternative in order to show MSE boundedness for a particle filter. In fact, in [10], under a small error assumption, the stability of the Extended Kalman filter is proven in terms of bounded MSE. Other results of stability of nonlinear filters can be found in [11]. However, this statement is not rigorous for the moment because one still needs a number of particle increasing with k according to the previous remark. Note that this kind of result is hard to obtain if one considers directly the particle filter because one would typically need some nonlinear stochastic observability condition. See again [11]. Finally, this kind of result is very useful in an output feedback control perspective because it could be a first step toward showing a closed-loop moment stability result of the true state of system, X_k , in a nonlinear framework. See [31] for an example of outputfeedback moment stability with bounded MSE in a linear context.

6. Explicit dual control and Optimal control with an estimation based cost

The objective of this section is to use Step 2 from Section 4.2 as a formal justification of a class of dual controllers called Explicit dual controllers. More precisely, a link between classically used empirical losses of information added to the cost and the optimal value of the estimation problem (26) is presented.

6.1. Explicit dual control

In this section, we focus on Explicit dual controllers based on integrated experiment design. The idea in this case is to add a quantitative measure of the loss of information in the cost of a stochastic optimal control

problem like Problem (14). If one defines $g^{info}: \mathbb{R}^{n_x} \rightarrow \mathbb{R}^+$ as the loss of information, one can write an infinite-horizon Explicit dual control problem as follows:

$$\begin{aligned} \tilde{V}(\mu) = \min_{\pi_0^c, \pi_0^e} \quad & E^\pi \left[\sum_{k=0}^{+\infty} \alpha^k (\tilde{g}^c(\mu_k, U_k) + \tilde{g}^{info}(\mu_k, \hat{X}_k)) | \mu_0 = \mu \right] \\ \text{s.t.} \quad & \mu_{k+1} = F(\mu_k, Y_{k+1}, U_k), \\ & U_k = \pi_0^c(\mu_k), \\ & \hat{X}_k = \pi_0^e(\mu_k), \quad \forall k \geq 0, \end{aligned} \quad (48)$$

Optimal solutions of Problem (48) exhibit the property of Explicit dual effect. The term 'explicit' comes from the external nature of the coupling between estimation and control realised by g^{info} . Note that optimal solutions of Problem (48) also exhibit implicit dual effect for the same reason as those of Problem (14) do. However, Problem (48) is usually destined in practice to be approximated by an Open-loop finite-horizon problem used inside a dual Explicit Stochastic Model Predictive control scheme. See [20] for a review on the subject. In this case, the Open-loop approximation destroys the feedback structure of the policies and the implicit dual effect is lost. The main interest of Problem (48) is precisely that g^{info} preserves some dual effect even after these two approximations. Still, the main flaw of this technique is that g^{info} is generally empirical and chosen ad hoc which makes Problem (48) hard to connect with the original control problem (14).

6.2. Optimal control with an estimation based-cost

We recall here the modified control problem that appears in Step 2 from Section 4.2:

$$\begin{aligned} \tilde{V}(\mu) = \min_{\pi_0^c} \quad & E^\pi \left[\sum_{k=0}^{+\infty} \alpha^k (\tilde{g}^c(\mu_k, U_k) + \tilde{g}_*^e(\mu_k)) | \mu_0 = \mu \right] \\ \text{s.t.} \quad & \mu_{k+1} = F(\mu_k, Y_{k+1}, U_k), \\ & U_k = \pi_0^c(\mu_k), \quad \forall k \geq 0. \end{aligned} \quad (49)$$

Notice that, since $\tilde{g}_*^e$ is the minimum estimation error given the current distribution μ_k , one could be tempted to choose controls that minimise it w.r.t μ_k in order to get more information on the system. In this sense, $\tilde{g}_*^e$ can be seen as a measure of a loss of information. Although, it is not a very practical one because it depends on the value of each past and presents observations and is therefore hard to predict. We would like to use g^{info} as a simpler and a priori measure of information.

We would like to introduce a new perspective linking the Explicit dual control problem (48) and the estimation-based control problem (49) which is itself a step in the resolution of the coupled estimation and control scheme from Section 4.2. We propose to consider that when one solves Problem (48), one solves a sort of approximation of Problem (49) and not a modified version of the classical problem (14). With this point of view, we try to narrow the gap created by the empirical consideration in Problem (48). As a result, one could imagine new explicit dual schemes with better approximations of $\tilde{g}_*^e$ than current ones.

7. An application in Aerospace engineering: Terrain-aided navigation

The goal of this section is to give a typical example of application where the practical resolution of the estimation and control steps from Section (4.2) is relevant. We also show that the modelling assumptions from Section 5 are satisfied in this example. The application under consideration is the problem of localisation and guidance of a drone by Terrain-aided Navigation (TAN). The objective is to be able to localise a drone and guide it in a 3D space using speed measurements and one dimensional measurement related to the position. In the Cartesian coordinates, we assume that the dynamics of the drone are described as follows:

- the state is composed of a 3 dimensional position and a 3 dimensional speed: $X_k = (x_{1,k}, x_{2,k}, x_{3,k}, v_{1,k}, v_{2,k}, v_{3,k})$ and the control of a 3 dimensional acceleration $U_k = (u_{1,k}, u_{2,k}, u_{3,k})$. Note that $(x_{1,k}, x_{2,k})$ represents the horizontal position and $x_{3,k}$ the altitude.
- its dynamics (50) is linear with bounded controls, for $k \in \mathbb{N}$,

$$X_{k+1} = AX_k + BU_k + \xi_k, \quad \|U_k\| \leq U_{max}, \quad (50)$$

where $U_{max} > 0$, $A \in \mathbb{R}^{n_x \times n_x}$ and $B \in \mathbb{R}^{n_x \times n_u}$ correspond to a discrete-time second order and $\xi_k \sim \mathcal{N}(0, Q)$ with Q positive semi-definite.

We assume that the dynamics has a relatively simple form because the main difficulty of this application is the nature of the observations. Indeed, the only information on the position is a measurement of the difference between the altitude of the drone, $x_{3,k}$, and the altitude of the corresponding vertical point on the ground. We also suppose that the ground is represented by a bounded map, $h_M : \mathbb{R}^2 \rightarrow \mathbb{R}^+$. In practice, h_M is often determined by a smooth interpolation of data points which makes it very nonlinear. Therefore, the observation equation reads:

$$Y_k = h_{det}(X_k) + \eta_k, \quad (51)$$

where $h_{det}(X_k) = \begin{bmatrix} v_{1,k} \\ v_{2,k} \\ v_{3,k} \\ x_{3,k} - h_M(x_{1,k}, x_{2,k}) \end{bmatrix}$ and η_k is measurement noise. Its distribution is assumed to have a density w.r.t the Lebesgue measure denoted by ρ_η which is also bounded with a bounded support. Note that assuming a bounded sensor noise is relevant in many case and especially in Aerospace engineering.

Intuitively, the use of particle filters is justified in this case by the map h_M which is nonlinear and may have ambiguities resulting in a multi-modal distribution μ_k . Actually, its modes are closely related to the level sets of h_M . As a matter of fact, Kalman filters cannot accurately deal with this problem. Moreover, it appears very naturally that dual control is required in this application. Indeed, the quality of the observations depends on the area that is flid over by the drone. If the drone flies over a flat area with constant altitude, then, one measurement of height matches a whole horizontal area and the estimation error on $(x_{1,k}, x_{2,k})$ is of the order of magnitude of the size of the area, which can be very large. On the contrary, if the drone flies over a rough terrain, then one measurement of height corresponds to a smaller area on the ground and the estimation error is reduced. Thus, in TAN, information probing consists in flying over informative areas of the ground. Therefore, information measures based on some norm of the gradient of the h_m , like the Fisher Information Matrix [32], are relevant. Finally, we would like to show that the system (50)-(51) is an example of system where Assumptions 5.2, 5.3 and 5.5 hold. This results is summed in Proposition 7.1.

Proposition 7.1. *The system (50)-(51) satisfies Assumptions 5.2, 5.3 and 5.5.*

Proof. Clearly, from equation (51), Assumption 5.2 is satisfied. In the sequel, we prove that Assumption 5.5 holds which implies that Assumption 5.3 holds too. By independence of η_k w.r.t. X_k , the likelihood function can be written as follows:

$$\rho(Y_k, X_K) = \rho_\eta(Y_k - h_{det}(X_k))$$

From equation (51) and as ρ_η has a bounded support one can get that

$$\|X_k\|^2 \rho(Y_k, X_K) = 0 \text{ for } \|(Y_k, X_k)\| \text{ sufficiently large} \quad (52)$$

One can deduce, using the notation in Assumption 5.5, that:

$$\|\rho\phi_1^2\|_\infty = \sup_{x,y} |x_i^2 \rho(y, x)| < +\infty, \text{ for } i = 1, 2.$$

Besides, $\|\rho\|_\infty < +\infty$ by assumption on ρ_η . Finally, the noise in the dynamics (50) being Gaussian, $\|K\|_\infty < +\infty$ and Assumption 5.5 holds. □

8. Conclusion

In this paper, a general formalisation of the joint problem of nonlinear optimal filtering and discrete-time stochastic optimal control is proposed. Under natural assumptions on the cost function one can justify the use of two steps in the resolution of the problem. The first step is to solve a classical optimal estimation problem. Near-optimality of the empirical mean of a modified particle filter w.r.t. the mean square error has been shown which justifies the use of particle filtering in the case of MSE minimisation. The second step is to solve a modified optimal control problem with a new term coming from optimal estimation. This establishes a connection with Explicit dual control where a new term representing a measure of information is empirically

added to the cost. Actually, this empirical term can be seen as an approximation of the term coming from optimal estimation. Finally, this framework is illustrated by an example coming from Aerospace engineering namely Terrain-Aided Navigation.

Appendix A. Proof of Lemma 5.2

We recall that under Assumption 5.1, $\langle \mu_{k|k-1}, \rho \rangle > \gamma_k > \frac{\gamma_k}{2}$. Besides, $\forall k \geq 1$, for $0 < \epsilon_k < 1$, for a.a. i_k , there exists $N_k(i_k) > 0$ such that, $\forall N \geq N_k(i_k)$:

$$P(\langle \mu_{k|k-1}^N, \rho \rangle > \frac{\gamma_k}{2} | I_k = i_k) \geq 1 - \epsilon_k.$$

Therefore, under Assumptions 5.2 and 5.3, we consider theorem 3.1 of [28] with $\psi = \phi_j$, with $p = r = 2$ and with $\frac{\gamma_k}{2}$ instead of γ_k . It implies that, for $j = 1, \dots, n_x$ and $k \geq 1$, for almost all i_k , there exist $C_{k,j} > 0$, $M_{k,j} > 0$ and $N_k(i_k) > 0$ such that $\forall N \geq N_k(i_k)$:

$$\begin{aligned} E \left[|\langle \mu_k, \phi_j \rangle - \langle \mu_k^N, \phi_j \rangle|^2 | I_k = i_k \right] &\leq \frac{C_{k,j} \|\phi_j\|_{k,2}^2}{N}, \\ E \left[\|\langle \mu_k, \text{Id} \rangle - \langle \mu_k^N, \text{Id} \rangle\|^2 | I_k = i_k \right] &\leq \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}. \end{aligned} \quad (\text{A.1})$$

By putting end to end the computations in [28], one can show that, for $k \geq 1$, and $j = 1, \dots, n_x$, $C_{k,j}$ and $M_{k,j}$ follow the coupled equations (38) to (42). From the computation of $C_{k,j}$ and Assumption 5.1, one can also show that $N_k(i_k)$ can be chosen as such that $N_k(i_k) \geq \frac{\|\rho\|_{k,2}^2 \|K\|^{2 \max_j C_{k-1|k-1,j}}}{|\frac{\gamma_k}{2} - \langle \mu_{k|k-1}, \rho \rangle|^2 \epsilon_k}$, with $0 < \epsilon_k < 1$.

One gets the result by combining equations (32) and (A.1) to obtain $\forall \epsilon > 0$, for almost all i_k , $\forall N \geq N_k(i_k)$:

$$e_{k,*}^{\text{cond}}(i_k) \leq (1 + \epsilon) e_{k,*}^{\text{cond}}(i_k) + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N},$$

Appendix B. Proof of Theorem 5.3

As Lemma 5.1 requires no assumptions, Lemma 5.1 and 5.2 hold under Assumptions 5.1, 5.2 and 5.3 and one gets directly that $\forall \epsilon > 0$, for a.a. i_k , for any $N \geq N_k(i_k)$:

$$e_{k,*}^{\text{cond}}(i_k) \leq e_{k,N}^{\text{cond}}(i_k) \leq (1 + \epsilon) e_{k,*}^{\text{cond}}(i_k) + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}.$$

By choosing $\epsilon = \frac{1}{N^q}$ with $0 < q < 1$, one can obtain from (B.1) that, for a.a. i_k , $\forall N \geq N_k(i_k)$:

$$e_{k,*}^{\text{cond}}(i_k) \leq e_{k,N}^{\text{cond}}(i_k) \leq \left(1 + \frac{1}{N^q}\right) e_{k,*}^{\text{cond}}(i_k) + (1 + N^q) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}. \quad (\text{B.1})$$

Moreover, the right-hand side converges such that:

$$\left(1 + \frac{1}{N^q}\right) e_{k,*}^{\text{cond}}(i_k) + (1 + N^q) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N} \xrightarrow{N \rightarrow +\infty} e_{k,*}^{\text{cond}}(i_k). \quad (\text{B.2})$$

Thus, it is now clear from (B.1) and (B.2) that for a.a. i_k :

$$e_{k,N}^{\text{cond}}(i_k) \xrightarrow{N \rightarrow +\infty} e_{k,*}^{\text{cond}}(i_k),$$

Appendix C. Proof of Lemma 5.4

One defines $C'_{k,j}$, and $M'_{k,j}$ recursively as follows, $\forall k \geq 0$, $\forall j = 1, \dots, n$:

$$M'_{0,j} = 3, \quad (C.1)$$

$$C'_{0,j} = 8\tilde{C}, \quad (C.2)$$

$$M'_{k,j} = 2 + \alpha'_{k,j} \left(1 + \left(\frac{4 - \epsilon_k}{1 - \epsilon_k} + 1 \right) M'_{k-1,j} \right), \quad (C.3)$$

$$(C'_{k,j})^{\frac{1}{2}} = 2^{\frac{3}{2}}(\tilde{C})^{\frac{1}{2}}(M'_{k,j})^{\frac{1}{2}} + \frac{2^{\frac{3}{2}}(\tilde{C})^{\frac{1}{2}}\beta'_{k,j}}{(1 - \epsilon_k)^{\frac{1}{2}}}(M'_{k-1,j})^{\frac{1}{2}} \\ + \frac{\|K\|_{\infty}^{\frac{3}{2}}\|\rho\|_{\infty}\beta'_{k,j}}{(1 - \epsilon_k)^{\frac{\gamma_k}{2}}}(M'_{k-1,j})^{\frac{1}{2}}(C'_{k-1,j})^{\frac{1}{2}} + \|K\|_{\infty}\beta'_{k,j}(C'_{k-1,j})^{\frac{1}{2}}, \quad (C.4)$$

$$\alpha'_{k,j} = \|K\|_{\infty}^2 \frac{\|\rho\|_{\infty}(\|\phi_j^2\rho\|_{\infty} + \frac{\gamma_k}{2})}{\frac{\gamma_k^2}{2}}, \quad \beta'_{k,j} = \frac{\|\rho\|_{\infty}(\|\phi_j\rho\|_{\infty} + \frac{\gamma_k}{2})}{\frac{\gamma_k^2}{2}}, \quad (C.5)$$

Because of Assumption 5.5, the following inequalities hold, $\forall j = 1, \dots, n$:

$$\|\rho\| \leq \|\rho\|_{\infty} < +\infty, \quad \|\rho\phi_j^2\| \leq \|\rho\phi_j^2\|_{\infty} < +\infty, \quad \|\rho\phi_j\| \leq \|\rho\phi_j\|_{\infty} < +\infty. \quad (C.6)$$

Thus, by recursion on k , $\forall k \geq 0$, $\forall j = 1, \dots, n$

$$C'_{k,j} < +\infty, \quad M'_{k,j} < +\infty.$$

From the definition of $\alpha_{k,j}$ and $\beta_{k,j}$ in equation (42), One needs to be able to bound the term $\frac{1}{|\langle \mu_{k|k-1}, \rho \rangle - \frac{\gamma_k}{2}|}$ from above uniformly in i_k . To do so, from Assumption 5.1, for a.a. i_k , one gets:

$$\langle \mu_{k|k-1}, \rho \rangle \geq \gamma_k \geq \frac{\gamma_k}{2}, \quad (C.7)$$

$$\langle \mu_{k|k-1}, \rho \rangle - \frac{\gamma_k}{2} \geq \frac{\gamma_k}{2} > 0,$$

$$\frac{1}{|\langle \mu_{k|k-1}, \rho \rangle - \frac{\gamma_k}{2}|} = \frac{1}{\langle \mu_{k|k-1}, \rho \rangle - \frac{\gamma_k}{2}} \leq \frac{1}{\frac{\gamma_k}{2}}. \quad (C.8)$$

Consequently, from (C.6) and (C.8), $\forall k \geq 0$, $\forall j = 1, \dots, n$, for a.a. i_k :

$$\alpha_{k,j} \leq \alpha'_{k,j}, \quad \beta_{k,j} \leq \beta'_{k,j}. \quad (C.9)$$

Finally, from equations (C.7), (C.9), equations (38) to (42) and equations (C.1) to (C.5), one can show by recursion on k , that $\forall k \geq 0$, $\forall j = 1, \dots, n$, for a.a. i_k :

$$C_{k,j} \leq C'_{k,j}, \quad M_{k,j} \leq M'_{k,j}.$$

Besides, since γ_k , $\|\rho\|_{\infty}$, $\|\rho\phi_j^2\|_{\infty}$ and $\|\rho\phi_j\|_{\infty}$ do not depend on i_k , $C'_{k,j}$ and $M'_{k,j}$ do not depend on i_k either and one gets the result.

Appendix D. Proof of Theorem 5.5

Under Assumptions 5.1, 5.2 and 5.5, Lemma 5.2 holds and implies that, for a.a. i_k , $\forall N \geq N_k(i_k)$, $\forall \epsilon > 0$:

$$E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] \leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right] + \left(1 + \frac{1}{\epsilon} \right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}, \quad (D.1)$$

$$\text{where } N_k(i_k) = \frac{\|\rho\|_{k,2}^2 \|K\|^2 \max_j C_{k-1,j}}{|\frac{\gamma_k}{2} - \langle \mu_{k|k-1}, \rho \rangle|^2 \epsilon_k}.$$

First, one can notice from (C.6), (C.8) and Lemma 5.4 that, $\forall k \geq 1$, for a.a. i_k :

$$N_k(i_k) \leq \frac{\|\rho\|_\infty^2 \|K\|_\infty^2}{(\frac{\gamma_k}{2})^2 \epsilon_k} \max_j C'_{k-1,j} \equiv \bar{N}_k.$$

Note that $\bar{N}_k$ does not depend on i_k then (D.1) is true for a number of particles independent of i_k i.e $\forall \epsilon > 0$, $\forall N \geq \bar{N}_k$, for a.a. i_k ,

$$E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] \leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right] + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C_{k,j} \|\phi_j\|_{k,2}^2}{N}.$$

By using Lemma 5.4 again:

$$E \left[\|X_k - \hat{X}_k^N\|^2 | I_k = i_k \right] \leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right] + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C'_{k,j} \|\phi_j\|_{k,2}^2}{N}.$$

Now one is able to integrate over i_k , which leads to:

$$E \left[\|X_k - \hat{X}_k^N\|^2 \right] \leq (1 + \epsilon) E \left[\|X_k - \hat{X}_k^*\|^2 \right] + \left(1 + \frac{1}{\epsilon}\right) \frac{\sum_{j=1}^n C'_{k,j} E \left[\|\phi_j\|_{k,2}^2 \right]}{N}. \quad (\text{D.2})$$

We recall that $E \left[\|X_k - \hat{X}_k^*\|^2 | I_k = i_k \right]$ and $\|\phi_j\|_{k,2}^2$ are integrable w.r.t. i_k because X_k is square-integrable by Assumption 5.4. Moreover, from Lemma 5.1, and by taking $\epsilon = \frac{1}{N^q}$ with $0 < q < 1$, one can get additionally that $\forall k \geq 0$, $\forall N \geq \bar{N}_k$:

$$e_{k,*}^{tot} \leq e_{k,N}^{tot} \leq \left(1 + \frac{1}{N^q}\right) e_{k,*}^{tot} + (1 + N^q) \frac{\sum_{j=1}^n C'_{k,j} E \left[\|\phi_j\|_{k,2}^2 \right]}{N} < +\infty.$$

The convergence result is straightforward from the previous equation.

References

- [1] A. S. Kumar, Z. Ahmad, Model predictive control (mpc) and its current issues in chemical engineering, Chemical Engineering Communications 199 (4) (2012) 472–511.
- [2] W. Bolton, Mechatronics: electronic control systems in mechanical and electrical engineering, Pearson Education, 2003.
- [3] R. S. Mamon, R. J. Elliott, Hidden Markov models in finance, Vol. 4, Springer, 2007.
- [4] U. Eren, A. Prach, B. B. Koçer, S. V. Raković, E. Kayacan, B. Açikmeşe, [Model Predictive Control in Aerospace Systems: Current State and Opportunities](#), Journal of Guidance, Control, and Dynamics 40 (7) (2017) 1541–1566. doi:10.2514/1.6002507. URL <https://arc.aiaa.org/doi/10.2514/1.6002507>
- [5] B. Ristic, S. Arulampalam, N. Gordon, Beyond the kalman filter, IEEE Aerospace and Electronic Systems Magazine 19 (7) (2004) 37–38.
- [6] J. B. Rawlings, B. R. Bakshi, Particle filtering and moving horizon estimation, Computers & chemical engineering 30 (10-12) (2006) 1529–1541.
- [7] D. Crisan, A. Doucet, A survey of convergence results on particle filtering methods for practitioners, IEEE Transactions on signal processing 50 (3) (2002) 736–746.
- [8] P. Del Moral, A. Guionnet, Central limit theorem for nonlinear filtering and interacting particle systems, Annals of Applied Probability (1999) 275–297.
- [9] P. Del Moral, J. Jacod, The Monte-Carlo method for filtering with discrete-time observations: Central limit theorems, Fields Institute Communications 34 (2002) 29–53.
- [10] K. Reif, S. Gunther, E. Yaz, R. Unbehauen, [Stochastic stability of the discrete-time extended Kalman filter](#), IEEE Transactions on Automatic control 44 (4) (1999) 714–728. URL <http://ieeexplore.ieee.org/abstract/document/754809/>
- [11] T. Karvonen, Stability of linear and non-linear Kalman filters.
- [12] D. S. Bayard, A. Schumitzky, [Implicit dual control based on particle filtering and forward dynamic programming](#), International Journal of Adaptive Control and Signal Processing doi:10.1002/acs.1094. URL <http://doi.wiley.com/10.1002/acs.1094>
- [13] M. A. Sehr, R. R. Bitmead, [Particle Model Predictive Control: Tractable Stochastic Nonlinear Output-Feedback MPC](#), arXiv preprint arXiv:1612.00505. URL <https://arxiv.org/abs/1612.00505>

- [14] E. Flayac, K. Dahia, B. Hérissé, F. Jean, Nonlinear Fisher Particle Output Feedback Control and its application to Terrain Aided Navigation, in: 56th IEEE Conference on Decision and Control, Melbourne, 2017.
- [15] E. Flayac, K. Dahia, B. Hérissé, F. Jean, Dual Particle Output Feedback Control based on Lyapunov drifts for nonlinear systems, in: 57th IEEE Conference on Decision and Control, Miami, Florida, 2018.
- [16] Y. Bar-Shalom, E. Tse, Dual Effect, Certainty Equivalence, and Separation in Stochastic Control, *IEEE Transactions on Automatic Control* 19 (5) (1974) 494–500.
- [17] K. G. Hanssen, B. Foss, Scenario Based Implicit Dual Model, in: 5th IFAC Conference on Nonlinear Model Predictive Control NMPC 2015, Vol. 48, Elsevier, Seville, Spain, 2015, pp. 416–241.
- [18] S. Subramanian, S. Lucia, S. Engell, *A non-conservative robust output feedback MPC for constrained linear systems*, in: Decision and Control (CDC), 2016 IEEE 55th Conference on, IEEE, 2016, pp. 2333–2338.
URL <http://ieeexplore.ieee.org/abstract/document/7798611/>
- [19] D. Telen, B. Houska, M. Vallerio, F. Logist, J. Van Impe, *A study of integrated experiment design for NMPC applied to the Droop model*, *Chemical Engineering Science* 160 (2017) 370–383. doi:10.1016/j.ces.2016.10.046.
URL <http://linkinghub.elsevier.com/retrieve/pii/S0009250916305711>
- [20] A. Mesbah, *Stochastic model predictive control with active uncertainty learning: A Survey on dual control*, *Annual Reviews in Control* doi:10.1016/j.arcontrol.2017.11.001.
URL <http://linkinghub.elsevier.com/retrieve/pii/S1367578817301232>
- [21] H. Unbehauen, Adaptive dual control systems: a survey, in: Proceedings of the IEEE 2000 Adaptive Systems for Signal Processing, Communications, and Control Symposium (Cat. No. 00EX373), IEEE, 2000, pp. 171–180.
- [22] V. Andrieu, L. Praly, *A unifying point of view on output feedback designs for global asymptotic stabilization*, *Automatica* 45 (8) (2009) 1789–1798. doi:10.1016/j.automatica.2009.04.015.
URL <http://linkinghub.elsevier.com/retrieve/pii/S0005109809002143>
- [23] D. A. Copp, J. P. Hespanha, *Nonlinear output-feedback model predictive control with moving horizon estimation*, in: 53rd IEEE Conference on Decision and Control, IEEE, 2014, pp. 3511–3517.
URL http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=7039934
- [24] D. P. Bertsekas, *Dynamic programming and optimal control 3rd edition, volume II*, Belmont, MA: Athena Scientific.
URL <http://castlelab.princeton.edu/ORF544/Readings/Bertsekas%20-%20Chapter%206%20-%20Approximate%20dynamic%20programming.pdf>
- [25] D. P. Bertsekas, S. Shreve, *Stochastic optimal control: the discrete-time case*, 2004.
- [26] L. Stettner, On invariant measures of filtering processes, in: *Stochastic Differential Systems*, Springer, 1989, pp. 279–292.
- [27] B. D. Anderson, J. B. Moore, *Optimal filtering*, Englewood Cliffs 21 (1979) 22–95.
URL <https://pdfs.semanticscholar.org/2844/8b03469fe0926da546a3bc0129e891767f72.pdf>
- [28] X.-L. Hu, T. B. Schon, L. Ljung, *A General Convergence Result for Particle Filtering*, *IEEE Transactions on Signal Processing* 59 (7) (2011) 3424–3429. doi:10.1109/TSP.2011.2135349.
URL <http://ieeexplore.ieee.org/document/5740996/>
- [29] X.-L. Hu, T. B. Schon, L. Ljung, *A Basic Convergence Result for Particle Filtering*, *IEEE Transactions on Signal Processing* 56 (4) (2008) 1337–1348. doi:10.1109/TSP.2007.911295.
URL <http://ieeexplore.ieee.org/document/4471882/>
- [30] F. Le Gland, N. Oudjane, others, *Stability and uniform approximation of nonlinear filters using the Hilbert metric and application to particle filters*, *The Annals of Applied Probability* 14 (1) (2004) 144–187.
URL <http://projecteuclid.org/euclid.aoap/1075828050>
- [31] P. Hokayem, E. Cinquemani, D. Chatterjee, F. Ramponi, J. Lygeros, *Stochastic receding horizon control with output feedback and bounded controls*, *Automatica* 48 (1) (2012) 77–88.
URL <http://www.sciencedirect.com/science/article/pii/S0005109811004882>
- [32] P. Tichavsky, C. H. Muravchik, A. Nehorai, *Posterior Cramér-Rao bounds for discrete-time nonlinear filtering*, *IEEE Transactions on signal processing* 46 (5) (1998) 1386–1396.
URL <http://ieeexplore.ieee.org/abstract/document/668800/>